

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-19 (Canceled).

Claim 20 (Previously Presented): The system according to claim 23, wherein the network capable client is configured to download an applet from the network capable server, and the applet is used in conjunction with a web browser to select the disk category and disk type in order to generate the graphic data for the disk label.

Claim 21 (Canceled).

Claim 22 (Previously Presented): The system according to claim 23, wherein printing data remotely generated by said network capable client is received.

Claim 23 (Previously Presented): A system for performing processes used for generating printing data on the basis of which a disk label is creatable, comprising:

a network capable client configured to locally control/perform said processes used for generating printing data on the basis of which a disk label is creatable, the generated printing data at the client being presented to a user at a first resolution; and

a network capable server configured to offer functionality directly usable and installable on said network capable client, wherein said functionality is adapted to locally control/perform said processes used for generating printing data on the basis of which said disk label is creatable, wherein said network capable client and said network capable server are connected with each other via a communication network, wherein said printing data are generated based on graphic data representing said disk label, wherein, in advance of

finalizing said graphic data for said disk label, a disk label printing area is determined in dependence on selection by a user of a disk category and a disk type, wherein said disk category defines overall dimensions for disks of each disk category, and wherein from said disk type, areas within a disk that are not allowed to be covered by said disk label are derivable and are prohibited from being labeled for said disk category, and wherein, during the process of generating said graphic data all instructions recognized as leading to the generation of printing data which cannot be assigned to the determined disk label printing area are blocked, the server being configured to process the printing data of the first resolution and to rescale it into printing data of a second, higher resolution.

Claim 24 (Previously Presented): The system according to claim 23, wherein said communication network comprises the Internet and/or an Intranet.

Claim 25 (Previously Presented): A computer readable medium encoded with a computer program containing instructions configured to cause a processor-based device to execute the method of claim 27.

Claim 26 (Canceled).

Claim 27 (Currently Amended): A method for performing processes used for generating printing data on the basis of which a disk label is creatable, comprising:

locally controlling/performing said processes used for generating printing data on the basis of which a disk label is creatable, the generated printing data at [[the]] a network capable client being presented to a user at a first resolution;

offering functionality directly usable by [[a]] said network capable client and installable on said network capable client, wherein said functionality is adapted to locally control/perform said processes used for generating printing data on the basis of which a disk label is creatable at said network capable client, wherein said network capable client and a network capable server are connected with each other via a communication network;

generating, at said network capable client said printing data based on graphic data representing said disk label; and

determining, at said network capable client and in advance of finalizing said graphic data for said disk label, a disk label printing area in dependence on selection by a user of a disk category and a disk type, wherein said disk category defines overall dimensions for disks of each disk category, and wherein from said disk type, areas within a disk that are not allowed to be covered by said disk label are derivable and are prohibited from being labeled for said disk category, wherein during the process of generating said graphic data all instructions recognized as leading to the generation of printing data which cannot be assigned to the determined disk label printing area are blocked, the server being configured to process the printing data of the first resolution and to rescale it into printing data of a second, higher resolution.

Claim 28 (Previously Presented): The method according to claim 27, wherein said communication network comprises the Internet and/or an Intranet.

Claim 29 (Previously Presented): The system according to claim 23, wherein said graphic data are generated by a graphic tool, which is part of an applet, having a drawing functionality.

Claim 30 (Previously Presented): The method according to claim 27, wherein said graphic data are generated by a graphic tool, which is part of an applet, having a drawing functionality.

Claim 31 (Previously Presented): The method according to claim 27, wherein the determining comprises downloading an applet from the network capable server, and executing the applet by a web browser to allow the user to select the disk category and disk type in order to generate the graphic data for the disk label.

Claim 32 (Previously Presented): A system for performing processes used for generating printing data on the basis of which a recordable data storage medium label is creatable, comprising:

a network capable client configured to locally control/perform said processes used for generating printing data on the basis of which a recordable data storage medium label is creatable, the generated printing data at the client being presented to a user at a first resolution; and

a network capable server configured to offer functionality directly usable and installable on said network capable client, wherein said functionality is adapted to locally control/perform said processes used for generating printing data on the basis of which said recordable data storage medium label is creatable, wherein said network capable client and said network capable server are connected with each other via a communication network, wherein said printing data are generated based on graphic data representing said recordable data storage medium label, wherein, in advance of finalizing said graphic data for said recordable data storage medium label, a recordable data storage medium label printing area is determined in dependence on selection by a user of a recordable data storage medium

category and a recordable data storage medium type, wherein said recordable data storage medium category defines overall dimensions for recordable data storage mediums of each recordable data storage medium category, and wherein from said recordable data storage medium type, areas within a recordable data storage medium that are not allowed to be covered by said recordable data storage medium label are derivable and are prohibited from being labeled for said recordable data storage medium category, and wherein, during the process of generating said graphic data all instructions recognized as leading to the generation of printing data which cannot be assigned to the determined recordable data storage medium label printing area are blocked, the server being configured to process the printing data of a first resolution and to rescale it into printing data of a second, higher resolution.